

Table with 16 rows and 11 columns. Header row: 中山, 未勝利. Data rows include horse numbers (8-16), names (e.g., バスタウザスターズ), and performance metrics (e.g., 10:05, 未勝利).

Table with 16 rows and 11 columns. Header row: 中山, 未勝利. Data rows include horse numbers (8-16), names (e.g., ノーブルスナイパー), and performance metrics (e.g., 10:35, 未勝利).

Table with 16 rows and 11 columns. Header row: 中山, 未勝利. Data rows include horse numbers (8-16), names (e.g., カラクリスピリッツ), and performance metrics (e.g., 11:05, 未勝利).

Table with 16 rows and 11 columns. Header row: 中山, 未勝利. Data rows include horse numbers (8-16), names (e.g., オーキッドワン), and performance metrics (e.g., 11:35, 未勝利).

Table with 16 rows and 11 columns. Header row: 中山, 未勝利. Data rows include horse numbers (8-16), names (e.g., コスモシグルン), and performance metrics (e.g., 12:25, 未勝利).

Table with 16 rows and 11 columns. Header row: 中山, 1勝クラス. Data rows include horse numbers (8-16), names (e.g., ベンガルボダイジュ), and performance metrics (e.g., 12:55, 1勝C).

Table with 16 rows and 11 columns. Header row: 中山, 1勝クラス. Data rows include horse numbers (8-16), names (e.g., ミセスリリー), and performance metrics (e.g., 13:25, 1勝C).

Table with 16 rows and 11 columns. Header row: 中山, 2勝クラス. Data rows include horse numbers (8-16), names (e.g., ジョーヤ), and performance metrics (e.g., 14:00, 2勝C).

Table with 16 rows and 11 columns. Header row: 中山, 3勝C. Data rows include horse numbers (8-16), names (e.g., クーデール), and performance metrics (e.g., 14:35, 3勝C).

Table with 16 rows and 11 columns. Header row: 中山, オープン. Data rows include horse numbers (8-16), names (e.g., イッタラ), and performance metrics (e.g., 15:10, オープン).

Table with 16 rows and 11 columns. Header row: 中山, 第74回日経賞. Data rows include horse numbers (8-16), names (e.g., マローニ), and performance metrics (e.g., 15:45, 第74回日経賞).

Table with 16 rows and 11 columns. Header row: 中山, 2勝クラス. Data rows include horse numbers (8-16), names (e.g., ホレーン), and performance metrics (e.g., 16:30, 2勝C).